Int. J. Gynecol. Obstet., 1990, 33: 397—400
International Federation of Gynecology and Obstetrics

Subject Index

Volume 33

abdominal girth, symphysis fundal height, fetal growth, intrauterine growth retardation, maternal weight gain, abdominal wall thickness, 1
abdominal wall thickness, symphysis fundal height, fetal growth, intrauterine growth retardation, maternal weight gain, abdominal girth, 1
Addison's disease, Schmidt's syndrome, hypothyroidism, vitiligo, puberty menorrhagia, 373
African, pregnancy, hypertension, perinatal mortality, blood pressure pattern, booked, 111
age, centile chart, weight gain, pregnancy, gravidity, body mass index, 127
amenorrhea, chronic utero-rectal fistula, menochezia, 77
amyloidosis, familial Mediterranean fever, pregnancy complications, 165
analgesia, cesarean section, subcutaneous infusion, 13
anesthesiology outpatient clinic, obstetrical anesthesia, 235
antenatal complication, Vietnamese refugees, obstetric outcome, perinatal outcome, 203
anthropometry, fundal height, gravidogram, 299
anticoagulation, recurrent pulmonary embolism, Greenfield vena caval filter, 275
ascites, genital tract tuberculosis, cervical tuberculosis, *Myobacterium tuberculosis*, 171
augmenting urethral closure pressure profiles, urethral closure pressure, urethral functional length, 135

bacteriuria, sickle trait, pyelonephritis, pregnancy, birthweight, 19
birthweight, seasonality, malaria, pregnancy-induced hypertension, nutrition, Sierra Leone, 103
birthweight, sickle trait, bacteriuria, pyelonephritis, pregnancy, 19
blood pressure pattern, pregnancy, hypertension, perinatal mortality, African, booked, 111
body mass index, centile chart, weight gain, pregnancy, age, gravidity, 127
booked, pregnancy, hypertension, perinatal mortality, blood pressure pattern, African, 111
breech vaginal delivery, cesarean section, 325
buserelin, pharmacologic treatment of fibroids, Gn-RH analogs, medroxyprogesterone acetate, 333

C3b inactivator, circulating immune complexes, kidneys, tissue damage, immunologic pathogenesis, pre-eclampsia, 121
cancer cervix, cervical malignancy, tumors in Africa, 249
capacity, hemoglobin, hematocrit, serum iron, total iron binding, surgical tubal sterilization, 59
CA 125, ovarian carcinoma, second-look laparotomy, distribution of residual lesion, second-line treatment, survival curve, 141
CA 125, ovarian volume, ultrasound, 149
centile chart, weight gain, pregnancy, age, gravidity, body mass index, 127
cervical dilatation, induced abortion, preoperative treatment, Lamicel, per- and postoperative complications, 153
cervical incompetence, Wurm's operation, 317
cervical intraepithelial neoplasia, colposcopic descriptive appearances, relative significance, immature squamous metaplasia, 23
cervical malignancy, cancer cervix, tumors in Africa, 249
cervical tuberculosis, genital tract tuberculosis, ascites, *Myobacterium tuberculosis*, 171
cesarean, maternal death, early neonatal mortality, 199
cesarean section, analgesia, subcutaneous infusion, 13
cesarean section, breech vaginal delivery, 325
chemical sterilization, female sterilization, contraceptive effectiveness, follow-up study, phenol-atabrine-paste, 49
chronic utero-rectal fistula, menochezia, amenorrhea, 77
circulating immune complexes, C3b inactivator, kidneys, tissue damage, immunologic pathogenesis, pre-eclampsia, 121
clinical and histopathological features, ovarian fibroma, 243
colposcopic descriptive appearances, relative significance, cervical intraepithelial neoplasia, immature squamous metaplasia, 23
combined (heterotopic) pregnancy, IVF-ET, ectopic pregnancy, 359
contraception, high-density lipoprotein cholesterol, triglycerides, femenal, 257
contraception, myoplasma infection, genital tract, 65
contraceptive effectiveness, female sterilization, chemical sterilization, follow-up study, phenol-atabrine-paste, 49
contraceptive effectiveness, Norplant®, contraceptive implants, follow-up study, 345
contraceptive implants, Norplant®, contraceptive effectiveness, follow-up study, 345

dermatoses of pregnancy, pruritic urticarial papules and plaques of pregnancy, pruritic syndrome, 69
distribution of residual lesion, ovarian carcinoma, second-look laparotomy, CA 125, second-line treatment, survival curve, 141

dysmenorrhea, menstrual cycles, questionnaire, university girls, 31

early neonatal mortality, cesarean, maternal death, 199
eclampsia, fetal sex-ratio, maternal mortality, perinatal mortality, 211
ectopic pregnancy, combined (heterotopic) pregnancy, IVF-ET, 359
ectopic pregnancy, etiologic factors in ectopic pregnancy, pregnancy failures, extrauterine pregnancy, 239
ectopic pregnancy, tubal pregnancy, unilateral tubal twin pregnancy, simultaneous bilateral tubal pregnancies, 365
embryo transfer, in vitro fertilization, gamete intrafallopian transfer, ovarian stimulation, laparoscopy, gamete transfer, 159
emergency laparotomy, ruptured uterus, road traffic accident, total abdominal hysterectomy, 273
endometriosis-associated infertility, peritoneal fluid protein hormones, hormonal imbalance, neuroendocrine disorder, 35
β-endorphin levels, uterine contractions, labor, 313
ethnic minorities, labor, 307
etiologic factors in ectopic pregnancy, ectopic pregnancy, pregnancy failures, extrauterine pregnancy, 239
extrauterine pregnancy, ectopic pregnancy, etiologic factors in ectopic pregnancy, pregnancy failures, 239

familial Mediterranean fever, amyloidosis, pregnancy complications, 165
female sterilization, chemical sterilization, contraceptive effectiveness, follow-up study, phenol-atabrine-paste, 49
female sterilization, Filshie clip, Pomeroy method, minilaparotomy, postpartum sterilization, 263
femenal, high-density lipoprotein cholesterol, triglycerides, contraception, 257
fetal death, maternal ECG, fetal heart rate, internal monitoring, 269
fetal growth, symphysis fundal height, intrauterine growth retardation, maternal weight gain, abdominal wall thickness, abdominal girth, 1
fetal heart rate, maternal ECG, internal monitoring, fetal death, 269
fetal sex-ratio, eclampsia, maternal mortality, perinatal mortality, 211
Filshie clip, female sterilization, Pomeroy method, minilaparotomy, postpartum sterilization, 263
first birth, socioeconomic class, maternal age, neonatal outcome, 7
follow-up study, female sterilization, chemical sterilization, contraceptive effectiveness, phenol-atabrine-paste, 49
follow-up study, Norplant®, contraceptive effectiveness, contraceptive implants, 345
fundal height, anthropometry, gravidogram, 299

gamete intrafallopian transfer, in vitro fertilization, ovarian stimulation, laparoscopy, embryo transfer, gamete transfer, 159
gamete transfer, in vitro fertilization, gamete intrafallopian transfer, ovarian stimulation, laparoscopy, embryo transfer, 159
gastrin, suckling, somatostatin, insulin, prolactin, 321
genital tract, myoplasma infection, contraception, 65
genital tract tuberculosis, cervical tuberculosis, ascites, *Myobacterium tuberculosis*, 171
Gn-RH analogs, pharmacologic treatment of fibroids, buserelin, medroxyprogesterone acetate, 333
gravidity, centile chart, weight gain, pregnancy, age, body mass index, 127
gravidogram, fundal height, anthropometry, 299
Greenfield vena caval filter, recurrent pulmonary embolism, anticoagulation, 275

health education, home/hospital births, rural Saudi Arabia, social correlates, motivated and communicative health personnel, 229
hematocrit, hemoglobin, serum iron, total iron binding, capacity, surgical tubal sterilization, 59
hemoglobin, hematocrit, serum iron, total iron binding, capacity, surgical tubal sterilization, 59
high-density lipoprotein cholesterol, triglycerides, femenal, contraception, 257
Hodgkin's disease, oophoropexy, ovulation induction, pregnancy, radiation therapy, 369
home/hospital births, rural Saudi Arabia, social correlates, motivated and communicative health personnel, health education, 229
hormonal imbalance, endometriosis-associated infertility, peritoneal fluid protein hormones, neuroendocrine disorder, 35
hypertension, pregnancy, perinatal mortality, blood pressure pattern, African, booked, 111
hypothyroidism, Schmidt's syndrome, Addison's disease, vitiligo, puberty menorrhagia, 373

immature squamous metaplasia, colposcopic descriptive appearances, relative significance, cervical intraepithelial neoplasia, 23
immunologic pathogenesis, circulating immune complexes, C3b inactivator, kidneys, tissue damage, pre-eclampsia, 121
induced abortion, preoperative treatment, Lamicel, cervical dilatation, per- and postoperative complications, 153
induction of labor, premature rupture of membrane, prostaglandin E_2 oral tablets, 115
infertility, socio-biological factors, rural Nigerian community, 41
insulin, suckling, somatostatin, gastrin, prolactin, 321
internal monitoring, maternal ECG, fetal heart rate, fetal death, 269
intrauterine growth retardation, risk factors, 215
intrauterine growth retardation, risk assessment, perinatal mortality, low birthweight, preterm delivery, 221
intrauterine growth retardation, symphysis fundal height, fetal growth, maternal weight gain, abdominal wall thickness, abdominal girth, 1

in vitro fertilization, gamete intrafallopian transfer, ovarian stimulation, laparoscopy, embryo transfer, gamete transfer, 159
IVF-ET, combined (heterotopic) pregnancy, ectopic pregnancy, 359

kidneys, circulating immune complexes, C3b inactivator, tissue damage, immunologic pathogenesis, pre-eclampsia, 121

labor, β-endorphin levels, uterine contractions, 313
labor, ethnic minorities, 307
Lamicel, induced abortion, preoperative treatment, cervical dilatation, per- and postoperative complications, 153
laparoscopy, in vitro fertilization, gamete intrafallopian transfer, ovarian stimulation, embryo transfer, gamete transfer, 159
low birthweight, risk assessment, perinatal mortality, preterm delivery, intrauterine growth retardation, 221

malaria, birthweight, seasonality, pregnancy-induced hypertension, nutrition, Sierra Leone, 103
maternal age, first birth, socioeconomic class, neonatal outcome, 7
maternal death, cesarean, early neonatal mortality, 199
maternal ECG, fetal heart rate, internal monitoring, fetal death, 269
maternal mortality, eclampsia, fetal sex-ratio, perinatal mortality, 211
maternal weight gain, symphysis fundal height, fetal growth, intrauterine growth retardation, abdominal wall thickness, abdominal girth, 1
medroxyprogesterone acetate, pharmacologic treatment of fibroids, Gn-RH analogs, buserelin, 333
menochezia, chronic utero-rectal fistula, amenorrhea, 77
menstrual cycles, questionnaire, dysmenorrhea, university girls, 31
minilaparotomy, female sterilization, Filshie clip, Pomeroy method, postpartum sterilization, 263
motivated and communicative health personnel, home/hospital births, rural Saudi Arabia, social correlates, health education, 229
Myobacterium tuberculosis, genital tract tuberculosis, cervical tuberculosis, ascites, 171
myoplasma infection, genital tract, contraception, 65

neonatal outcome, first birth, socioeconomic class, maternal age, 7
neuroendocrine disorder, endometriosis-associated infertility, peritoneal fluid protein hormones, hormonal imbalance, 35
Norplant$_R$, contraceptive effectiveness, contraceptive implants, follow-up study, 345
nutrition, birthweight, seasonality, malaria, pregnancy-induced hypertension, Sierra Leone, 103

obstetrical anesthesia, anesthesiology outpatient clinic, 235
obstetric outcome, Vietnamese refugees, antenatal complication, perinatal outcome, 203
oophoropexy, ovulation induction, Hodgkin's disease, pregnancy, radiation therapy, 369
ovarian carcinoma, second-look laparotomy, distribution of residual lesion, CA 125, second-line treatment, survival curve, 141
ovarian fibroma, clinical and histopathological features, 243
ovarian stimulation, in vitro fertilization, gamete intrafallopian transfer, laparoscopy, embryo transfer, gamete transfer, 159
ovarian volume, CA 125, ultrasound, 149
ovulation induction, oophoropexy, Hodgkin's disease, pregnancy, radiation therapy, 369

Per- and postoperative complications, induced abortion, preoperative treatment, Lamicel, cervical dilatation, 153
perinatal mortality, eclampsia, fetal sex-ratio, maternal mortality, 211
perinatal mortality, pregnancy, hypertension, blood pressure pattern, African, booked, 111
perinatal mortality, risk assessment, low birthweight, preterm delivery, intrauterine growth retardation, 221
perinatal outcome, Vietnamese refugees, obstetric outcome, antenatal complication, 203
peritoneal fluid protein hormones, endometriosis-associated infertility, hormonal imbalance, neuroendocrine disorder, 35
pharmacologic treatment of fibroids, Gn-RH analogs, buserelin, medroxyprogesterone acetate, 333
phenol-atabrine-paste, female sterilization, chemical sterilization, contraceptive effectiveness, follow-up study, 49
Pomeroy method, female sterilization, Filshie clip, minilaparotomy, postpartum sterilization, 263
postpartum sterilization, female sterilization, Filshie clip, Pomeroy method, minilaparotomy, 263
pre-eclampsia, circulating immune complexes, C3b inactivator, kidneys, tissue damage, immunologic pathogenesis, 121
pregnancy, centile chart, weight gain, age, gravidity, body mass index, 127
pregnancy, hypertension, perinatal mortality, blood pressure pattern, African, booked, 111
pregnancy, oophoropexy, ovulation induction, Hodgkin's disease, radiation therapy, 369
pregnancy, sickle trait, bacteriuria, pyelonephritis, birthweight, 19
pregnancy-induced hypertension, birthweight, seasonality, malaria, nutrition, Sierra Leone, 103
pregnancy complications, amyloidosis, familial Mediterranean fever, 165
pregnancy failures, ectopic pregnancy, etiologic factors in ectopic pregnancy, extrauterine pregnancy, 239
premature rupture of membrane, induction of labor, prostaglandin E_2 oral tablets, 115
preoperative treatment, induced abortion, Lamicel, cervical dilatation, per- and postoperative complications, 153
preterm delivery, risk assessment, perinatal mortality, low birthweight, intrauterine growth retardation, 221
prolactin, suckling, somatostatin, insulin, gastrin, 321

prostaglandin E_2 oral tablets, premature rupture of membrane, induction of labor, 115
pruritic syndrome, pruritic urticarial papules and plaques of pregnancy, dermatoses of pregnancy, 69
pruritic urticarial papules and plaques of pregnancy, dermatoses of pregnancy, pruritic syndrome, 69
puberty menorrhagia, Schmidt's syndrome, Addison's disease, hypothyroidism, vitiligo, 373
pyelonephritis, sickle trait, bacteriuria, pregnancy, birthweight, 19
questionnaire, menstrual cycles, dysmenorrhea, university girls, 31

radiation therapy, oophoropexy, ovulation induction, Hodgkin's disease, pregnancy, 369
recurrent pulmonary embolism, Greenfield vena caval filter, anticoagulation, 275
relative significance, colposcopic descriptive appearances, cervical intraepithelial neoplasia, immature squamous metaplasia, 23
Rh isoimmunization, 73
risk assessment, perinatal mortality, low birthweight, preterm delivery, intrauterine growth retardation, 221
risk factors, intrauterine growth retardation, 215
road traffic accident, ruptured uterus, emergency laparotomy, total abdominal hysterectomy, 273
ruptured uterus, road traffic accident, emergency laparotomy, total abdominal hysterectomy, 273
rural Nigerian community, socio-biological factors, infertility, 41
rural Saudi Arabia, home/hospital births, social correlates, motivated and communicative health personnel, health education, 229

Schmidt's syndrome, Addison's disease, hypothyroidism, vitiligo, puberty menorrhagia, 373
seasonality, birthweight, malaria, pregnancy-induced hypertension, nutrition, Sierra Leone, 103
second-line treatment, ovarian carcinoma, second-look laparotomy, distribution of residual lesion, CA 125, survival curve, 141
second-look laparotomy, ovarian carcinoma, distribution of residual lesion, CA 125, second-line treatment, survival curve, 141
serum iron, hemoglobin, hematocrit, total iron binding, capacity, surgical tubal sterilization, 59
sickle trait, bacteriuria, pyelonephritis, pregnancy, birthweight, 19
Sierra Leone, birthweight, seasonality, malaria, pregnancy-induced hypertension, nutrition, 103
simultaneous bilateral tubal pregnancies, tubal pregnancy, ectopic pregnancy, unilateral tubal twin pregnancy, 365
social correlates, home/hospital births, rural Saudi Arabia, motivated and communicative health personnel, health education, 229
socio-biological factors, infertility, rural Nigerian community, 41
socioeconomic class, first birth, maternal age, neonatal outcome, 7
somatostatin, suckling, insulin, gastrin, prolactin, 321
subcutaneous infusion, analgesia, cesarean section, 13
suckling, somatostatin, insulin, gastrin, prolactin, 321
surgical tubal sterilization, hemoglobin, hematocrit, serum iron, total iron binding, capacity, 59
survival curve, ovarian carcinoma, second-look laparotomy, distribution of residual lesion, CA 125, second-line treatment, 141
symphysis fundal height, fetal growth, intrauterine growth retardation, maternal weight gain, abdominal wall thickness, abdominal girth, 1

tissue damage, circulating immune complexes, C3b inactivator, kidneys, immunologic pathogenesis, pre-eclampsia, 121
total abdominal hysterectomy, ruptured uterus, road traffic accident, emergency laparotomy, 273
total iron binding, hemoglobin, hematocrit, serum iron, capacity, surgical tubal sterilization, 59
triglycerides, high-density lipoprotein cholesterol, femenal, contraception, 257
tubal pregnancy, ectopic pregnancy, unilateral tubal twin pregnancy, simultaneous bilateral tubal pregnancies, 365
tumors in Africa, cancer cervix, cervical malignancy, 249

ultrasound, CA 125, ovarian volume, 149
unilateral tubal twin pregnancy, tubal pregnancy, ectopic pregnancy, simultaneous bilateral tubal pregnancies, 365
university girls, menstrual cycles, questionnaire, dysmenorrhea, 31
urethral closure pressure, urethral functional length, augmenting urethral closure pressure profiles, 135
urethral functional length, urethral closure pressure, augmenting urethral closure pressure profiles, 135
uterine contractions, β-endorphin levels, labor, 313

Vietnamese refugees, obstetric outcome, antenatal complication, perinatal outcome, 203
vitiligo, Schmidt's syndrome, Addison's disease, hypothyroidism, puberty menorrhagia, 373

weight gain, centile chart, pregnancy, age, gravidity, body mass index, 127
Wurm's operation, cervical incompetence, 317

Int. J. Gynecol. Obstet., 1990, 33: 401—402
International Federation of Gynecology and Obstetrics

Author Index

Volume 33

Abbondante, G. 333
Abd Rabou, S. 59
Abraham, A.S. 313
Adetoro, O.O. 41
Ahuja, K. 159
Aitkin, I.W. 103
Aleandri, V. 333
Alexander, G.R. 221
Algur, N. 313
Anwar, M. 59
Appleman, Z. 73
Arakawa, O. 359
Aranguren, G. 69
Arieli, S. 269
Armar, N.A. 159

Baill, I.C. 19
Banfield, P.J. 275
Barbazán, M.J. 69
Barreca, T. 321
Barrenetxea, G. 69
Bello, C.S.S. 65
Benagiano, G. 333
Berchel, C. 221
Borenstein, R. 73
Bowen, L.W. 135

Callan, N.A. 215
Carter, J.R. 171
Caspi, E. 269
Cataldi, A. 321
Chen, H.C. 345
Chew, P.C.T. 35
Chiboka, O. 31
Chow, L.P. 49
Chow, L.P. 345

Damewood, M.D. 369
de Caunes, F. 221
Dhaliwal, L.K. 317
Dix, R. 199
Doornbos, H.P.R. 307
Du, M.K. 345
Duthie, S.J. 203
Dutta, R. 243

Ebomoyi, E. 41
Edebiri, A.A. 23
Ekwempu, C.C. 65
El Gammal, N.A. 99
El Sahwi, S. 59
El-Abdel Hadi, F. 115
El-Qarmalawi, A.M. 115
Elkind-Hirsch, K. 333
Elmardi, A.A. 115
Eylath, U. 313

Fourie, J. 111
Franceschini, R. 321
Friberg, L.-G. 149

Garamvölgyi, G. 235
Gita, R. 317
Gleeson, R.P. 13
Gopalan, S. 317
Granberg, S. 149
Guengant, J.P. 221
Gulati, N. 373
Gunasegaram, R. 35

Haiba, N 59
Hamar, O. 235
Herman, A. 269
Hesla, J.S. 369
Hsu, J. 263

Ibeziako, P.A. 121
Indira, R. 1

Jallad, K.B. 99
Jayalakshmi, P. 243
Juster, A. 73

Kaku, T. 141
Kamel, M. 59
Kamura, T. 141
Kang, X.P. 49
Khan, A. 229
King, P.A. 203
Kini, P. 77
Kruger, H. 111

Li, D.F.H. 203
Loganath, A. 35
Lokulo-Sodipe, O. 159
Longombe, A.O. 199
López-Llera, M. 211
lowen, M. 369
Lurie, S. 73

Ma, H.K. 203
Makinde, O.O. 239,365
Marwood, R. 275
Matsuyama, T. 141
Melchor, J.C. 69
Mor-Yosef, S. 7
Morini, A. 333

Nakano, H. 141
Narayan, K.A. 1
Nordbeck, Ha.J. 307
Nsofor, B.I. 65

Oda, K. 359
Ogunniyi, S.O. 239,365
Ogunranti, J.O. 299
Oguntade, O. 159
Ojwang, S.B. 249
Okerengwo, A.A. 121
Okonofua, F.E. 31,159,273
Olatunbosun, O.A. 159
Omany, J. 249
Omole-Ohonsi, A. 273
Onwudiegwu, U. 273
Onyango, J.N. 249
Ostergard, D.R. 135
Otubu, J.A. 257
Oumachigui, A. 1
O'deh, H.M.S. 99

Papiernik, E. 221
Peh, K.L. 35
Piccinno, F. 333
Pinto, P. 77
Pittmam, M. 275
Primiero, F.M. 333

Ragni, N. 321
Rajaram, P. 1
Ramalingam, G. 1
Ranney, B. 325
Rasheed, P. 229
Ratnam, S.S. 35
Rodriguez-Escudero, F.J. 69
Rodwell, S. 13
Rogo, K.O. 249
Rolandi, E. 321
Ron-El, R. 269

Saddik, M. 115
Saito, T. 141
Samueloff, A. 7
Sand, K. 135
Sato, Y. 359
Schenker, J.G. 7
Schoon, M.G. 111
Schreyer, P. 269
Schultz, M.J. 369
Schwartz, G. 313
Seidman, D.S. 7
Seligman, S.A. 13
Shaker, S.M.A. 115
Shalev, E. 165
Sharma, J.B. 373
Sharma, L. 77
Sharma, S. 373
Shaw, R. 13
Shemesh, O. 313
Shichiri, K. 359
Shimoni, Y. 165
Sivanesaratnam, V. 243
Skjeldestad, F.E. 153
Stendahl, U. 249

Tani, H. 359
Theron, G.B. 127
Thomas, K.D. 31
Thompson, M.L. 127
Tiwari, S. 373
Towobola, O.A. 257
Tsukamoto, N. 141
Tuveng, J. 153

Uguru, V.E. 257

Van der Walt, W.J. 111
Van Enk, A. 307
Venturini, P.L. 321

Wan, H.Z. 49
Wang, P. 49
Wang, S.X. 49
Weissberg, N. 313
Wikland, M. 149
Williams, A.I.O. 121
Witter, F.R. 19
Witter, F.R. 215
Wood, P.B. 199

Yan, J.-S. 263
Yin, C.-S. 263

Zheng, H.M. 345